

R-Panel

Heavy-duty strength you can count on.



R-Panel/PBR-Panel is a low slope metal roof and wall panel with 1.25" high ribs at 12" apart. R-Panel installs quickly and cost efficiently on slopes as low as 1:12 making it our most popular panel chosen for commercial and agricultural use.




Design & Size



We provide R-Panel custom cut to the inch per your specifications. Any length is available from 3' up to 45'.

R-Panel's design features four 1.25" high ribs, spaced 12" on center. Thickness options include 26 and 24 gauge standard and 22 gauge optional.



Warranty & Finish



R-Panel is available in both SMP painted, Kynar 500® painted, and non-painted Galvalume. Unpainted Galvalume is popular for commercial roofs, while the painted options are popular for roofs and walls of commercial and general purpose buildings.



Purpose & Use

R-Panel is the Super-Duty® contender of metal roof and wall systems. Whether you choose R-Panel for its ability to handle slopes as low as 1:12 or open framing spans as far as 5'-7' apart, R-Panel lives up to the demands you place on it.

R-Panel is most chosen for commercial and industrial roofs and walls, though it blends in well in most architectural design.



MINIMUM SLOPE
1:12



SUBSTRATE
Solid Deck
Open Frame



FLORIDA APPROVALS
Florida Building Code
Miami-Dade Hurricane Zone




INTENT
Commercial
Industrial



CATEGORY
Through Fastened Panel
Commercial Panel

Inspiration





PEOPLE



MAKE



THE



DIFFERENCE