


Steel Soffit Component List




HELPFUL INFORMATION ON PANELS, TRIMS, AND ACCESSORIES




STEEL SOFFIT

Steel Soffit is a simple but versatile concealed fastener soffit and wall panel with clean lines that complement a building's roof and walls. The 12" width offers flexibility in design, and is available in a smooth, flat appearing finish or with one stiffening groove.

- 24 ga. AZ50 painted or AZ55 bare Galvalume®
- Excellent 1" deep soffit panel.
- 12" wide panel with interlocking seam.
- Fastens directly to the sub-structure



Due to the penetration of the steel's protective coating, the vented profile is subject to rust.




Due to the penetration of the steel's protective coating, the vented profile is subject to rust.

Galvalume® is a registered trademark of BIEC International, Inc.


TRIMS

Cutoff times can vary by product type and length. Please contact your salesperson for questions concerning cutoffs. All angles are 90° or 45° unless otherwise noted. All trims are 24 gauge, 50ksi, Fluorpon® painted Galvalume® or Galvalume® unless otherwise specified. See page 5 for color codes.


	PART #	LENGTH	GIRTH	NOTES
J-TRIM	HLJT24102(color)	10'2"	5.625"	




PANEL CAP	HLPC24102(color)	10'2"	5.125"	
------------------	------------------	-------	--------	--




SOFFIT WIDE ANGLE	SWA24102(color)	10'2"	3.75"	specify pitch
--------------------------	-----------------	-------	-------	---------------



SOFFIT NARROW ANGLE	SNA24102(color)	10'2"	6"	specify pitch
----------------------------	-----------------	-------	----	---------------



INSIDE RIDGE CAP	INRCP24102(color)	10'2"	6"	specify pitch
-------------------------	-------------------	-------	----	---------------




TRIMS

Cutoff times can vary by product type and length. Please contact your salesperson for questions concerning cutoffs. All angles are 90° or 45° unless otherwise noted. All trims are 24 gauge, 50ksi, Fluoropon® painted Galvalume® or Galvalume® unless otherwise specified. See page 5 for color codes.


	PART #	LENGTH	GIRTH	NOTES
BASE TRIM	BA24102(color)	10'2"	6.125"	
SOFFIT BASE TRIM	SBT24102(color)	10'2"	13"	specify pitch
ZEE CLOSURE	HLZC24102(color)	10'2"	3.25"	butyl tape required.
RAT GUARD	RG24102(color)	10'2"	7.3125"	specify pitch
OUTSIDE ANGLE	OA27824102(color)	10'2"	3.875"	
	OA47824102(color)	10'2"	5.875"	
	OA67824102(color)	10'2"	7.875"	

ACCESSORIES


	PART #	COLOR	LENGTH	#PER BAG	#PER BOX
FASTENER #12 2/2 QUADRIX DRILLER	12FASTENER			250	5000



LOW PROFILE WAFER HEAD SCREW	SSR1WOOD	Galvanized	1"	250	3000
				*order in increments of 250pc	



POP RIVETS - 1/8"	POP(color)	all			100
--------------------------	------------	-----	--	--	-----



	PART #	SIZE
TOUCH UP PAINT	PEN(color)	0.6oz paint pen



FLAT SHEET	FSK102(color)	10'2	48.5"	24 ga.
-------------------	---------------	------	-------	--------

